MYSORE DIVISION, RAILWAYS.

NOTICE OF AUCTION SALE.

Dated 19th March 1925.

It is hereby notified that about 185 casuarina trees standing within the Railway boundary between Mile 90/3 and 90/9 (between Bettahalsoor and Yelahanka Stations) on the Bangalore-Chikballapur Light Railway line, will be sold by public auction at the spot on the 16th April 1925 at about 11 A.M.

The trees will be knocked down to the highest bidder who has to pay up one-fourth of the amount immediately on the spot and the rest before removal of the wood from the Railway premises which must be done only in the presence of the Permanent Way Inspector in charge of the section within fifteen days from the date of sale failing which the trees or wood lying within the Railway boundary will be resold at the risk of the purchasers.

V. RAMANUJALU NAIDU,
District Engineer.

OFFICE OF THE DIRECTOR OF INDUSTRIES AND COMMERCE.

Abstract Notification.

The attention of the public is invited to page 216, Part VI of the *Mysore Gazette* dated the 19th March 1925, calling for Tenders for the supply of Coke and Coal to the Central Industrial Workshop, Bangalore.

B. G. APPADORAI MUDALIAR,
Superintendent.

STORES PURCHASE COMMITTEE.

S. P. C. No. 10719—*dated 17th March* 1925.

Sealed tenders will be received by the undersigned up to 12 noon on Monday the 13th April 1925 for :—

Galvanised Iron Pipes and Fittings—Required for the Tumkur Water Supply Scheme.

The approximate quantities and specifications of articles are given in the subjoined schedule. Tenders should be submitted in the form of that statement duly noting, the rate at which the materials will be supplied f. o. r Tumkur Railway Station, M & S.M. Railway.

Tenders should be superscribed " Tenders for the supply of *Galvanised Iron pipes and Fittings* required for the Tumkur Water Supply Scheme " and must be accompanied by an earnest money of Rs. 100 in cash or by means of cheques on the Mysore or Imperial Bank, Bangalore, without which the tenders will not be considered. Cheques on Banks other than those in Bangalore will not be accepted.

The rates quoted should hold good for one month from the last date fixed for opening the tenders.

The whole quantity of the materials will have to be delivered before the 15th June 1925.

The materials to be supplied should strictly conform to British Standard Specifications. The names of the manufacturers should be clearly indicated in the tender.

Final acceptance of the tender will rest with the Stores Purchase Committee who do not bind themselves to accept the lowest or any other highest tenders or to assign any reason whatsoever for the rejection of any tender.

The name of the successful tenderer will be notified in due course and he will be required to deposit as security for the proper performance of the contract, the amount noted in column 4. The earnest money will be forfeited to Government if the tenderer whose tender is accepted fails to execute the contract and to furnish the security deposit amount as above specified or if the tenderer withdraws his tender before the acceptance or non-acceptance of his tender is communicated to him. The earnest money on rejected tenders will be returned.

Should the contractor fail to comply with any of the conditions detailed above, his contract will forthwith be cancelled and the deposit forfeited to Government.

In case of dispute as to whether the supply of articles is in accordance to specifications, the decision of the Stores Purchase Committee shall be final.

Special Water-Supply Construction Division—Galvanised Wrought Iron Pipes and fittings.

No.	Name of article and accurate specification	Accurate specification	Quantity required	Security deposit to be lodged by the successful tenderer	Rate F. O. R. Tumkur per	Designation of consignee	Post or Railway Station at which delivery is sought
1	2″ Galvanised wrought Iron Pipes Screwed and socketed.	British Standard specification.	R. ft. 3947 ..	An amount equal to five per cent.		Executive Engineer, Special Water Supply Construction Division	Tumkur Railway Station, M. S. M. Railway.
2	1½″ do do ..		Do 4921 ..				
3	1″ do do ..		Do 11,570				
4	Galvanised Bends 2″ ..		No. 2 ..				
5	Do 1½″ ..		,, 2 ..				
6	Do 1″ ..		,, 7 ..				
7	Galvanised Tees 2″ x 2″		,, 3 ..				
8	Do 2″ x 1½″		,, 3 ..				
9	Do 2″ x 1″		,, 10 ..				
10	Do 1½″ x 1″		,, 10 ..				
11	Do 1½ x 1½″		,, 2 ..				
12	Do 1″ x 1″		,, 77 ..				
	GALVANISED REDUCERS.						
	Galvanised Tees.						
13	Do do 2½″ x 1½″		No. 8 ..				
14	Do do 2″ x 1½″		,, 9 ..				
15	Do do 2″ x 1″		,, 5 ..				
16	Do do 1½″ x 1″		,, 4 ..				
17	Do do 1″ x ¾″		,,132 ..				
	GALVANISED ELBOWS.						
18	Do do 2″		No. 10 ..				
19	Do do 1½″		,, 3 ..				
20	Do do 1″		,, 270 ..				
	GALVANISED IRON CHECKNUTS.						
	Galvanised Tees.						
21	Do do 1½″		No. 5 ..				
22	Do do 1″		,, 80 ..				
	GUN METAL GLAND COCKS.						
23	Do do 2″		No. 5 ..				
24	Do do 1½″		,, 8 ..				
25	Do do 1″		,, 70 ..				
26	W. I. Plugs. ¾″		,, 132 ..				
27	Waste-not bib cocks (Taylor's Pattern) ..		,, 132 ..				
28	G. I. Collars 1½ — ..		,, 10 ..				
29	Do 1″		,, 70 ..				
30	Do 2″		,, 10 ..				
31	Four Lever Brass Locks of similar pattern with one pair of Master Keys.		,, 55 ..				

Notice No. S. P. C. 10720, *dated* 17*th March* 1925.

Sealed tenders will be received by the undersigned up to 12 noon on Monday the 13th April 1925 for:—

Cast Iron Fittings and Valves—Required for the Tumkur Water Supply Scheme.

The approximate quantities and specifications of articles are given in the subjoined schedule. Tenders should be submitted in the form of that statement duly noting, the rate at which the materials will be supplied F. O. R. Tumkur Railway Station, M. & S. M. Railway.

Tenders should be superscribed "Tenders for the supply of *Cast Iron Fittings and Valves* required for the Tumkur Water Supply Scheme" and must be accompanied by an earnest money of Rs. 100 in cash or by means of cheques on the Mysore or Imperial Bank, Bangalore, without which, the tenders will not be considered. Cheques on Banks other than those in Bangalore will not be accepted.

The rates quoted should hold good for one month from the last date fixed for opening the tenders.

The whole quantity of the materials will have to be delivered before the 15th June 1925.

The materials to be supplied should strictly conform to British Standard Specifications. The names of the manufacturers should be clearly indicated in the tender.

Final acceptance of the tender will rest with the Stores Purchase Committee, who do not bind themselves to accept the lowest or any other highest tenders or to assign any reason whatsoever for the rejection of any tender.

The name of the successful tenderer will be notified in due course and he will be required to deposit as security for the proper performance of the contract, the amount noted in column 5. The earnest money will be forfeited to Government if the tenderer whose tender

is accepted fails to execute the contract and to furnish the security deposit amount as above specified or if the tenderer withdraws his tender before the acceptance or non-acceptance of his tender is communicated to him. The earnest money on rejected tenders will be returned.

Should the contractor fail to comply with any of the conditions detailed above, his contract will forthwith be cancelled and the deposit forfeited to Government.

In case of dispute as to whether the supply of articles is in accordance to specifications, the decision of the Stores Purchase Committee shall be final.

Special Water-Supply Construction Division. Cast Iron Fittings and Valves.

No.	Name of article	Trade name	Accurate specification	Quantity required	Security deposit to be lodged by the successful tenderer	Rate F. O. R. Tumkur Per	Designation of consignee	Place and Railway Station at which delivery is
1	9″ C. I. spigot and socket pipes ..			R.ft. 387				
2	9″ C. I. Flanged pipes			,, 72				
3	Do 7′ long			,, 63				
4	4″ spigot and socket pipes			,, 765				
5	9″ adjustable filter outlet with gauging arrangement and sluice valve, complete, as per Fig. A 115, Section A, page 58 of Messrs. Glenfield and Kennedy's Catalogue.			No 3				
6	Equilibrium ball valve with 9″ sluice valve as per Fig. H. 50, page 9, Section B. of the above Catalogue.			,, 2				
7	9″ sluice valves with tail pieces ..			,, 14				
8	7″ Do do ...			,, 1				
9	6″ Do do ..			,, 4				
10	5″ Do do ..			,, 2				
11	4″ Do do ..			,, 9				
12	3″ Do do ..			,, 5				
13	2½″ Do do ..			,, 7				
14	3″ double ball air valve with central screw spindle.			,, 2				
15	¾″ air valves			,, 6				
16	9″ spigot and socket C. I. tees			,, 2				
17	Spigot and socket C. I. tees 9″ x 6″ ..			,, 3				
18	Do do 9″ x 5″ ..			,, 1				
19	Do do 7″ x 3″ ..			,, 1				
20	Do do 6″ x 5″ ..			,, 1				
21	Do do 6″ x 3″ ..			,, 1				
22	Do do 4″ x 4″ ..			,, 3				
23	Do do 4″ x 3″ ..			,, 4				
24	Do do 2½″ x 2½″ ..			,, 3				
25	Flanged tees 9″ x 9″			,, 3				
26	Do 9″ x 3″. (Flange at latter and S. & S. at 9″ ends.)			,, 3				
27	Flanged tees 4″ x 2″			,, 1				
28	9″ flange and socket tee. (Flange being at T end.)			,, 2				
29	4″ flanged tees			,, 4				
30	Spigot and socket quarter bends 9″ ..			,, 16				
31	Do do 5″ ..			,, 2				
32	Do do 4″ ..			,, 2				
33	Do do 2½″ ..			,, 4				
34	Spring Bends 9″			,, 3				
35	Do 7″			,, 1				
36	Do 4″			,, 1				
37	Do 3″			,, 1				
38	Flange socket bands 9″			,, 4				
39	Do do 4″			,, 3				
40	9″ flanged bell-mouth 3½ feet long ..			,, 6				
41	Do pieces 6″ long ..			,, 6				
42	4″ flanged cowls			,, 9				
43	9″ spare flangs			,, 4				
44	9″ C. I. collars			,, 6				
45	7″ Do			,, 2				
46	Taper pipes 9″ x 7″			,, 1				
47	Do 7″ x 6″			,, 1				
48	Do 6″ x 5″			,, 1				
49	Do 5″ x 4″			,, 2				
50	Do 4″ x 3″			,, 1				
51	Do 4″ x 2½″			,, 1				
52	Do 4″ x 2″			,, 1				
53	Do 3″ x 2½″			,, 1				
54	Do 2″ x 2″			,, 2				
55	Valve cistren covers 2½′ x 2½′ with double flap M. S. shutters, on C. I. frames.			,, 55				
56	C. I. road boxes 6″ x 6″			,, 83				
57	C. I. double tap fountains			,, 66				
58	Valve keys with spare pieces			,, 6				
59	9″ flanged rose pieces			,, 1				
60	Rolled steel joints 6″ x 3″ & 17 feet long ..			,, 28				
61	Do do 15 do ..			,, 28				
62	90° V notch 9″ high as per * specification (annexed).			,, 3				

"Differential wheel type indicator gear (visible) to be attached to each of the valves."

Spun pipes of any standard make.

Messrs. Glen Field and Kennedy's make would be preferred.

Five per cent of the accepted tender value.

Executive Engineer, Special Water Supply Construction Division.

Tumkur, M. & S. M. Railway, Mysore State, S. India.

SPECIFICATION FOR ITEM No. 62.

1. The "V" notch should be truly 90 degrees.
2. It should be made up of mild steel with gun metal edge.
3. The depth of notch should be 9".
4. The section should be as in the margin.



5. The whole notch should be attached to a steel frame which will be fixed into masonry.
6. One edge should be scaled equivalent to a vertical scale in inches and tenths of inches.
7. The corresponding discharge according to Thomson's formula should be noted on the other edge.
8. The numbers should be nicely painted so as to be visible when water is discharged through the notches.

By Order,
M. S. RAMACHANDRA RAO,
Secretary, Stores Purchase Committee.

PRIVATE ADVERTISEMENTS.

IN THE COURT OF THE DISTRICT JUDGE, BANGALORE DIVISION.

Insolvency Case No. 22 *of* 1924-25.

Ganeshamul Bhurmal Bros., Yarn Merchants, Chikpet, Bangalore City, by partners, Ganeshamul and Bhurmal ... ... *Petitioner.*

vs.

The Advance Trading Co., and 19 others .. ... *Opponents.*

Whereas the petitioner has applied to this Court by a petition dated 2nd March 1925, to be declared an insolvent under the Mysore Insolvency Regulation VI of 1911, and your names appear in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 3rd day of April 1925, for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by a duly instructed pleader.

Given under my hand and the seal of this Court, this 20th day of March 1925.

G. SREENIVASA IYER,
District Judge.

IN THE COURT OF THE MUNSIFF AT KOLAR.

Insolvency Application No. 17 *of* 1924-25.

Munivengatappa, son of Sonnappa, Settivarahalli, Sugatur Hobli, Kolar Taluk ... ... *Petitioner.*

1. Vengategowda of Mailapur, Chintamani Taluk, 2. Iragappa of Angathatti, Kolar Taluk, 3. Aligappa of Balagere, Kolar Taluk, 4. Muniswami of Keirilloor, Chintamani Taluk, 5. Thatteppa of Gadadasenahalli, Chintamani Taluk, 6. Reddeppa of Hosoor, Chintamani Taluk, 7. Thukkaram of Madanahalli, Kolar Taluk, 8. Eranna of Ettasandra, Kolar Taluk ... *Opponents.*

Whereas the petitioner has applied to this Court, by a petition dated 23rd of February 1925, to be declared an insolvent under the Mysore Insolvency Regulation VI of 1911, and your names appear in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 12th day of June 1925, for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader.

Given under my hand and the seal of this Court, this 13th day of March 1925.

The particulars of the debt alleged in the petition to be due to you are as follows:—

		Rs.
1. To Vengate Gowda under a bond	... ...	100
2. ,, Eragappa, hypothecation bond	... ...	45
3. ,, Aligappa bond	... ...	15
4. ,, Munisamappa ,,	... ...	10
5. ,, Thattappa ,,	... ...	25
6. ,, Reddappa ,,	... ...	60
7. ,, Thukkaram ,,	... ...	60
8. ,, Eranna ,,	.. ...	15
Total	...	330

S. A. VAIDESWARA IYER,
Munsiff.